

PHOENIX, AZ 85016 TEL: 602.866.0900 FAX: 602.955.2298

SUITE 750



Signage Consutant:



PHOENIX, ARIZONA 85029 602.944.3117 FAX 602.395.0753 SALES®BLEIFRINDLISTRIES CON



General Requirements Signage

These criteria have been established for the purpose of maintaining a continuity of quality and aesthetics throughout Queen Creek Marketplace for the mutual benefit of all tenants, and to comply with the approved Comprehensive Sign Plan for the development, regulations of the Town of Queen Creek Sign Ordinance, building and electrical codes of any governmental authority having jurisdiction. Conformance will be strictly enforced, and any non-compliant sign(s) installed by a Tenant shall be brought into conformance at the sole cost and expense of the Tenant. This criteria is subject to final approval by the Town of Queen Creek as part of a Comprehensive Sign Plan submittal. If a conflict is found to exist between these criteria and the final criteria approved by the Town of Queen Creek, the latter shall prevail.

I. GENERAL REQUIREMENTS

- A. Tenant shall submit or cause to be submitted to Developer, for approval, prior to fabrication, four (4) copies of detailed drawings indicating the location, size, layout, design color, method of illumination, materials, and method of attachment of Tenant's building mounted signage.
- B. Tenant or Tenant's representative shall obtain all required permits for signs and their installation.
- C. All building mounted signs shall be constructed and installed at Tenant's sole expense. All freestanding site signage will be fabricated and installed by Developer's designated sign contractor. Tenant shall provide electronic artwork suitable for production to Developer's sign contractor who will produce Tenant's signage on the site signage. Tenant shall reimburse Developer for all site signage costs in accordance to the terms of their respective lease agreement.
- D. Tenant shall be responsible for the fulfillment of all requirements and specifications, including those of the local municipality.
- E. All signs shall be reviewed for conformance with these criteria and overall design quality. Approval or disapproval of sign submittals based on aesthetics of design shall remain the sole right of Developer or Developer's authorized representative.
- F. Tenant shall be responsible for the installation and maintenance of Tenant's sign. Should Tenant's sign require maintenance or repair, Developer shall give Tenant thirty (30) days written notice to effect said

- maintenance or repair. Should Tenant fail to do the same, Developer may undertake repairs and Tenant shall reimburse Developer within ten (10) days from receipt of Developer's invoice.
- G. Advertising devices such as attraction boards, posters, banners and flags shall not be permitted.

II. SPECIFICATIONS - TENANT BUILDING SIGNAGE

A. General Specifications

- 1. No animated, flashing or audible signs shall be permitted.
- 2. All signs, including temporary signs and their installation shall comply with all Town of Queen Creek building and electrical codes.
- 3. No exposed raceways, crossovers or conduit shall be permitted unless physical circumstances exist that prohibit the signage to otherwise be installed. All tenant signage shall consist of individual letters and logos installed onto the building's wall surface. Sign cabinets are discouraged, however, may be approved if part of the Tenant's nationally recognized corporate identification program. Tenant signage shall not include any background color, material and/or structure used to delineate tenant's signage unless part of the Tenant's nationally recognized corporate identification program. The Developer shall have the sole and separate discretion in approving and/or varying any provision of these specifications.
- 4. All cabinets, conductors, transformers and other equipment shall be concealed wherever possible.
- 5. Temporary signs and banners and painted lettering shall not be permitted except as approved by the Developer and the Town of Queen Creek.
- 6. Any damage to a wall surface or roof deck resulting from Tenant's sign installation shall be repaired at Tenant's sole cost. Should Tenant fail to do the same, Developer may undertake repairs and Tenant shall reimburse Developer within ten (10) days from receipt of Developer's invoice.
- 7. Upon removal of any sign by Tenant, any damage to a wall surface and/or architectural element shall be repaired at Tenant's cost. Should Tenant fail to do the same, Developer may undertake repairs and Tenant shall reimburse Developer within ten (10) days from receipt of Developer's invoice.

B. Location of Signs

1. All signs or devices advertising an individual use, business or building shall be attached to the building at the location directed and authorized by the Developer.

III. DESIGN REQUIREMENTS BUILDING SIGNAGE

Individual illuminated letters and logos are recommended and may include pan channel metal letters with acrylic sign faces, reverse pan channel "backlit" illuminated letters, or any combination thereof. The letters are to be mounted onto the building fascia. Electrical connections shall be concealed to remote and/or self-contained transformers. All signage shall be installed in compliance to the Town of Queen Creek electrical code and UL 2161 / UL 48 specifications. Any sign installation found to be non-compliant shall be repaired immediately by the Tenant at Tenant's sole expense.

A. Sign Area

1. The maximum aggregate sign area per building elevation for each tenant shall be calculated by multiplying one and one-half (1.50) times the length of the Tenant's storefront(s) and/or elevation(s) occupied by the Tenant without limitation as to maximum sign area and/or number of sign elements. As a minimum allowance, Tenants occupying less than thirty three (33) feet of storefront and/or elevation shall be permitted a minimum of fifty (50) square feet of sign area.

B. Letter Height and Placement Restrictions

- 1. Tenant signage shall be installed in accordance with the approved Comprehensive Sign Plan in location(s) designated by the Developer and/or Developer's agents.
- 2. Majors and Pad tenants occupying less than 9999 SF shall be limited to a maximum letter height of thirty six (36") inches. Shop tenants shall be limited to a maximum letter height of twenty four (24") inches. Majors occupying 10000 SF through 49999 SF shall be limited to a maximum letter height of sixty (60") inches. Anchors occupying greater than 50000 SF shall be limited to a maximum letter height of seventy two (72") inches. Logos shall not be subject to maximum letter height restrictions herein established. However, Logos shall be included in sign area computations. Anchors, Majors, Pad, and Shop Tenants shall be permitted to utilize their corporate identification program subject to sign area limitations contained in the approved Comprehensive Sign Plan. All signage shall be reviewed and approved by the developer and shall be appropriate to the surrounding building features, environment, and thematic design of Queen Creek Marketplace. The Developer and the Town of Queen Creek shall have discretion in varying any provision of these specifications.

- Sign on Wall Surface: No sign shall exceed eighty (80%) percent of the height and/or width of the building elevation and/or wall surface upon which it is placed. The available surface area of the wall may affect letter height.
- 4. Where Shop Tenant signage is installed on a common sign band and/or wall surface, the overall length of the sign shall not exceed a maximum of eighty (80%) percent of the Tenant's leased storefront length. This percentage may be less if warranted by architectural conditions.

C. Letter Style or Logo Restrictions

 Copy and/or logos utilized shall be Tenant's choice, subject to the approval of Developer and/or Developer's agents and the Town of Queen Creek.

D. Illumination

1. Tenant building signage may be internally illuminated, backlit to create a silhouette, and/or any combination of lighting methods mentioned herein.

Under Canopy Blade Sign

- 1. Each Shop Tenant shall be required to install graphic copy, at Tenant's cost, on the under canopy blade sign furnished by the Developer in accordance to the specifications contained in this Comprehensive Sign Plan. Anchor, Majors and Pad Tenants shall have the option to do so. For cost efficiencies and design/construction uniformity, all under canopy blade signs will be manufactured by the Developer's project sign contractor and purchased in bulk by Developer. Each Tenant that is required to have a blade sign shall reimburse the Developer for the cost of the display and its installation thereof.
- 2. All under canopy blade sign copy shall consist of flat cut out graphics and shall be surface applied to both sides of the display. The Developer and/or Developer's Agents shall approve in writing all copy and layout prior to its installation. Each Shop Tenant shall furnish and install the approved copy for said display at Tenant's sole and separate expense. For convenience, Tenant can furnish the copy to Developer's project sign contractor for mounting and/or can provide the project's sign contractor with electronic art suitable for production. Tenant shall pay for all costs associated with the production and mounting of Tenant's blade sign copy.
- 3. The blade sign shall be suspended and/or projected using a mechanism consistent with other under canopy blade signs throughout the Queen Creek Marketplace as specified.

IV. GENERAL CONSTRUCTION REQUIREMENTS

- A. All exterior signs shall be secured by concealed fasteners, stainless steel, or nickel or cadmium plated.
- B. All illuminated signage shall be fabricated in a manner to conceal light leaks.
- C. All penetrations of the building structure required for sign installation shall be neatly sealed in a watertigh condition.
- D. Required labels or other identification shall be permitted on the exposed surface of signs and shall be applied in an inconspicuous location.
- E. Tenant shall be fully responsible for the operations of Tenant's sign contractors and shall indemnify, defend and hold Developer harmless for, from and against damages or liabilities on account thereof. Tenants shall employ licensed contractors and shall furnish to the Developer Certificates of Insurance for both General Liability and Workers Compensation prior to commencement of any sign installation.

ght			
be			
ify,			
eof.			
for			







Freestanding Sign Matrix

SIGN	SIGN TYPE	FUNCTION	LOCATION	QUANTITY	HEIGHT	SIZE	ILLUMINATION	MATERIALS
SIGN TYPE 1.1 Primary Entry Feature Wall	Wall Feature	Center Identification	Intersection of Ellsworth Road and Rittenhouse Road	1	Primary Entry Feature	100 SF of Center Identification	Internal and/or ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE 1.2, 1.3, 1.4 & 1.5 Entry Feature Wall	Wall Feature	Center Identification	Ellsworth Road Project Entrance and Rittenhouse Road Project Entrance	4	Entry Feature	50 SF of Center Identification	Internal and/or ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE 1.6 & 1.7 Entry Feature Wall	Wall Feature	Center Identification	NWC of Property along Rittenhouse Road and Intersection of Ellsworth Road and Victoria Ln	2	Entry Feature	50 SF of Center Identification	Internal and/or ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE 2 Multi-Tenant Monument Sign	Monument	Multi tenant identification	Placed along Ellsworth Road and Rittenhouse Road	Ellsworth Road (3) Rittenhouse Road (3)	Sixteen (16') feet to top of sign section exclusive of architectural embellishments	150 SF Tenant Sign Area Exclusive of Architectural Embellishments	Internal and/or ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE 3 Pad Monument Sign	Monument	Pad Tenant Identification	Placed along Ellsworth Road and Rittenhouse Road	Ellsworth Road (5) Rittenhouse Road (3)	Seven (7') feet to top of sign section exclusive of architectural embellishments	40 SF Tenant Sign Area Exclusive of Architectural Embellishments	Internal and/or ground Illumination	Masonry, Stucco, Textured Aluminum, Powder Coat and Acrylics
SIGN TYPE 4 Vehicular Directional Sign	Monument	Vehicular Directional	Placed Throughout the Project Site	TBD	Six (6') feet to top of sign section exclusive of architectural embellishments	6 SF Directional Sign Area Exclusive of Architectural Embellishments	Non-Illuminated	Textured Aluminum, Powder Coat and Reflective Vinyl
SIGN TYPE 5 Pedestrian Directory	Kiosk	Pedestrian Directory / Site Map / Promotional	Placed Throughout the Project Site at Pedestrian Locations	TBD	Eight (8') feet to top of the architectural embellishment.	24 SF / Face (3 faces) of Sign Area Exclusive of Architectural Embellishments	Internal and ground Illumination	Textured Aluminum, Powder Coat and Acrylics



ST-1.1Primary Center ID Sign / Entry Feature - Scale: NTS





een Creek Marketplace		2004-B-004	03/27/06
worth & Rittenhouse Rd. een Creek , AZ		SCALE:	REVISIONS:
		NTS	
		SHEET NO:	
ary Center ID Sign Concept			
NER:	SALES:	ST-1A	
Harton	Paul Blaian		1

© 2006, BLEIER INDUSTRIES, LTD.
This drawing and the ideas expressed herein, remain the confidential property of Bleir Industries, Ltd. This drawing and the Indeas contained in it are not to be reproduced, copied or disclosed to any other person or entity without the express written permission of an officer of Beleir Industries, Ltd.

APPROVED BY:



ST-1.2, 1.3, 1.4 & 1.5

Secondary Center ID Sign / Entry Feature - Scale: 3/8"=1'-0"





2004-B-004	03/27/06
SCALE:	REVISIONS:
AS NOTED	
	SCALE:

SCALE:

AS NOTED
SHEET NO:

ST-1B

© 2006, BLEIER INDUSTRIES, LTI.
This drawing and the Ideas expressed hereir
remain the confidential property of Biele
Industries, Ltd. This drawing and the Indeas
contained in it are not to be reproduced
copied or disclosed to any other person or
of an officer of Bieler Industries, Ltd.
APPROVED BY:



ST-1.6 & ST-1.7


Tertiary Center ID Sign / Entry Feature - Scale: 1/4" = 1'-0"





Queen Creek M		2004-B-004	03/27/06	
Ellsworth & Rittenhouse Rd. Queen Creek , AZ		96ALE: 1/4" = 1'-0"	REVISIONS:	
LE:		SHEET NO:		
econdary Cente	r ID Sign Concept		1	
SIGNER:	SALES:	ST-1C		
Dan Horton	Paul Bleier			

@ 2006, BLEIER INDUSTRIES, LTD. APPROVED BY:










APPROVED BY:







Queen Creek Marketplace
Ellsworth & Rittenhouse Rd.
Queen Creek , AZ
TITLE:
Pad Monument Sign Concept
DESIGNER: SALES:


2004-B-004 03/27/06

SCALE: REVISIONS: 1/4" = 1'-0"

SHEET NO: A

© 2006, BLEIER INDUSTRIES, LTC.
This drawing and the ideas expressed hereineman the confidential property of Bideindustries, Ltd. This drawing and the indexcopied or disclosed to any other person oentity without the express written permission
of an officer of Bider Industries, Ltd.

APPROVED BY:



SIDE ELEVATION

ELEVATION: VEHICULAR DIRECTIONAL 3/4"=1'-0"





Queen Creek Marketplace Ellsworth & Rittenhouse Rd. Queen Creek , AZ DESIGNER: SALES:
Dan Horton Paul Bleier

2004-B-004 03/27/06 3/4" = 1'-0" APPROVED BY: ST-4

3 SIDED - 3 POST - PEDESTRIAN DIRECTORY

ISOMETRIC VIEW



SPECIFICATIONS

ELECTRICAL

BALLAST - 1190-12R (250 watts) OR 71A5793 LAMPS - (1) 250 watts INDOOR / OUTDOOR VOLTS - 110-120

AMPS - NORMAL DRAW OF 2.3 AMPS

LIGHT BOX SECTION INCL. DOOR / FRAMES

DOOR/FRAMES - EXTRUDED ALUMINUM WELDED AND PAINTED LIGHT BOX STRUCTURE FABRICATED STEEL (INDOOR), STAINLESS STEEL (OUTDOOR) AND PAINTED.

UPRIGHT TUBING

3" OUTSIDE DIAMETER STEEL TUBING / INDOOR.
3" OUTSIDE DIAMETER STAINLESS TUBING / OUTDOOR.

ATTACHMENT OF TUBES TO LIGHT BOX

SCREW FROM INSIDE LIGHT BOX INTO STEEL TUBES.
(3) THREE SCREWS PER TUBE

ELECTRICAL FEED

FROM LOWER CORNER OF LIGHT BOX DOWN INSIDE ONE TUBE THRU FLOOR PLATE AND CONNECTED BY INSTALLERS TO FLOOR PLUG.

3 - PRONG PLUG SUPPLIED WITH LINE CORD / INDOOR. HARD WIRED / OUTDOOR.


GRAPHIC SIZE

48" X 70"

VISUAL OPENING

46.50 X 67.50

NOTICE: COLORS TBD



FOOT PRINT - 3 SIDED - 3 POST - DIRECTORY SIZE SCALE: 1/2" = 1'-0"

DIRECTORY UNIT FURNISHED BY VIACOM







Building Sign Matrix Major Tenants

SIGN	SIGN TYPE	FUNCTION	LOCATION	HEIGHT	SIZE	ILLUMINATION	MATERIALS
Major Tenant with occupancy of 50,000 SF or greater	Wall Mounted Signs	Tenant Identification	All elevations that offer readability	72" Maximum Letter Height Exclusive of Logos	1.50 SF / Linear Foot of Building Street Frontage or Elevation Upon Which Signage is Placed (Typical)	Interior, Backlit or a combination thereof.	Aluminum, Acrylic, Painted Metal, Flexface Material
Major Tenant with occupancy greater than 10,000 SF through 49,999 SF	Wall Mounted Signs	Tenant Identification	All elevations that offer readability	60" Maximum Letter Height Exclusive of Logos	1.50 SF / Linear Foot of Building Street Frontage or Elevation Upon Which Signage is Placed (Typical)	Interior, Backlit or a combination thereof	Aluminum, Acrylic, Painted Metal, Flexface Material
Major Tenant with occupancy 9,999 SF or less	Wall Mounted Signs	Tenant Identification	All elevations that offer readability	36" Maximum Letter Height Exclusive of Logos	1.50 SF / Linear Foot of Building Street Frontage or Elevation Upon Which Signage is Placed (Typical)	Interior, Backlit or a combination thereof	Aluminum, Acrylic, Painted Metal, Flexface Material
All Major Tenants	Under Canopy Blade Sign (Optional)	Tenant Identification	In front of tenant's leased space	Below architectural canopy. Maintain 8' Clearance AFF	8 SF	Non-illuminated	Aluminum, Acrylic, Painted Metal, Vinyl Graphics

Comprehensive Sign Plan subject to Town of Queen Creek approval as part of a PAD

Majors and shop tenants occupying less than 9999 SF shall belimited to a maximum letter height of thirty-six (36") inches exclusive of logos.

Majors occupying 10000 SF through 49999 SF shall be limited to a maximum letter height of sixty (60") inches exclusive of logos.

Majors occupying greater than 50000 SF shall be limited to a maximum letter height of seventy two (72") inches exclusive of logos.

All national retailers shall be permitted to utilize their standard corporate identification program subject to sign area limitations contained in the approved Comprehensive Sign Plan.

All signage shall be reviewed and approved by the developer and shall be appropriate to the surrounding building features, environment, and thematic design of Queen Creek Marketplace.

Developer shall have sole and separate discretion in varying any provision of these specifications.

Signage is illustrated to depict typical placements. Actual sizes and locations will be determined by tenant's corporate identification standards In accordance to criteria established as part of the csp submittal.



TYPICAL BUILDING SIGNAGE - MAJOR TENANT



TYPICAL MAJOR TENANT ELEVATIONS







Queen Creek Marketplace
Ellsworth & Rittenhouse Rd.
Queen Creek , AZ

TITLE:
Typical Building Elevations - Majors

2004-B-004 03/27/06
SCALE: REVISIONS:
NTS
SHEET NO:
ELV-M1

2 2006, BLEIER INDUSTRIES, LTD his drawing and the ideas expressed herein remains the conflictual property of Beller relativistics, Ltd. This drawing and the indeas notation of all rate not to be reproduced, opied or disclosed to any other person or mitty without the express written permission of an officer of Beller Industries, Ltd. ADDIOLUCI D. S.Y.

APPROVED BY:



Building Sign Matrix Shop Tenants

SIGN	SIGN TYPE	FUNCTION	LOCATION	HEIGHT	SIZE	ILLUMINATION	MATERIALS
Shop Tenants	Wall Signs	Tenant ID	Wall surfaces and architectural features designed to accommodate signage.	Within Building Silhouette	1.5 SF / Linear Foot of Building Street Frontage (Typical) 50 SF Minimum (Typical) Per Building Elevation Upon Which Signage is Placed 36" Maximum Letter Height Exclusive of Logos	Interior, Backlit or a Combination thereof.	Aluminum, Acrylic, Painted Metal, Flexface Material
Shop Tenants	Under Canopy Blade Sign (Mandatory)	Tenant ID	In front of tenant's leased space	Below architectural canopy. Maintain 8' Clearance AFF	8 SF	Non-illuminated	Aluminum, Acrylic, Painted Metal, Vinyl Graphics

Comprehensive Sign Plan subject to Town of Queen Creek approval as part of a PAD

Shop tenants occupying less than 9999 SF shall belimited to a maximum letter height of thirty-six (36") inches exclusive of logos.

All national retailers shall be permitted to utilize their standard corporate identification program subject to sign area limitations contained in the approved Comprehensive Sign Plan.

All signage shall be reviewed and approved by the developer and shall be appropriate to the surrounding building features, environment, and thematic design of Queen Creek Marketplace.

Developer shall have sole and separate discretion in varying any provision of these specifications.

Signage is illustrated to depict typical placements. Actual sizes and locations will be determined by tenant's corporate identification standards In accordance to criteria established as part of the csp submittal.



TYPICAL BUILDING SIGNAGE - SHOP TENANTS



SHOPS TENANT ELEVATION CHARACTER







Queen Creek Marketplace Ellsworth & Rittenhouse Rd. Queen Creek , AZ 2004-B-004 03/27/06 NTS

ELV-S1

APPROVED BY:



Sign Matrix Pad Tenants

SIGN	SIGN TYPE	FUNCTION	LOCATION	HEIGHT	SIZE	ILLUMINATION	MATERIALS
Pad Tenant	Wall Signs	Tenant ID	Wall surfaces and architectural features designed to accommodate signage.	Within Building Silhouette	1.5 SF / Linear Foot of Building Street Frontage (Typical) 50 SF Minimum (Typical) 36" Maximum Letter Height Exclusive of Logos	Interior, Backlit, or a combination thereof.	Aluminum, Acrylic, Painted Metal, Flexface Material
Pad Tenant	Under Canopy Blade Sign (Optional)	Tenant ID	In front of tenant's leased space	Below architectural canopy. Maintain 8' Clearance AFF	8 SF	Non-Illuminated	Aluminum, Acrylic, Painted Metal, Vinyl Graphics
Pad Tenant	Menu Signs	Menu Display and Pricing	Drive Thru	Per Town of Queen Creek Sign Ordinance	Per Town of Queen Creek Sign Ordinance	Interior and Ground Illumination	Aluminum, Acrylic, Painted Metal, Flexface Material
Pad Tenant	Traffic Directionals	Vehicular	Driveways and Drive Thru as Required	Per Town of Queen Creek Sign Ordinance	Per Town of Queen Creek Sign Ordinance	Interior and Ground Illumination	Aluminum, Acrylic, Painted Metal, Flexface Material
Pad Tenant	АТМ	ATM	Wall or Freestanding	Per Town of Queen Creek Sign Ordinance	Per Town of Queen Creek Sign Ordinance	Interior and Ground Illumination	Aluminum, Acrylic, Painted Metal, Flexface Material

Comprehensive Sign Plan subject to Town of Queen Creek approval as part of a PAD

All national retailers shall be permitted to utilize their standard corporate identification program subject to sign area limitations contained in the approved Comprehensive Sign Plan.

All signage shall be reviewed and approved by the developer and shall be appropriate to the surrounding building features, environment, and thematic design of Queen Creek Marketplace.

Developer shall have sole and separate discretion in varying any provision of these specifications.

Signage is illustrated to depict typical placements. Actual sizes and locations will be determined by tenant's corporate identification standards In accordance to criteria established as part of the csp submittal.



TYPICAL BUILDING SIGNAGE - PAD TENANTS



PAD TENANT ELEVATION CHARACTER








12011A 00020 - 002,044,0117	* 1 A/\ UUL.UUU.	U/UU - UALLUGI	
			© 2006, BLEIER IN
Queen Creek Marketplace	2004-B-004	03/26/06	This drawing and the idea remain the confidential
Ellsworth & Rittenhouse Rd.	SCALE:	REVISIONS:	Industries, Ltd. This draw contained in it are not
Queen Creek , AZ	NTS		copied or disclosed to a entity without the express
TITLE:	SHEET NO:		of an officer of Bleier
Tunical Building Flourtions . Pade		1	ADDDOVEDBY

ELV-P1



END VIEW SCALE: 1-1/2"=1'-0"

D/F BLADE SIGN - ELEVATION

SCALE: 1-1/2"=1'-0"

Tenant copy to be FCO 1/4" thick sintra $^{\text{TM}}$ or aluminum.

Tenant copy to be painted per tenant's corporate colors and flush mounted to background. Developer approval required for all layouts.





<u> RIZONA 85029 • 602.944.3117</u>	' • FAX 602.395.	0753 • SALES@	BLEIE
			@ 20
Queen Creek Marketplace	2004-B-004	03/27/06	This a
Ellsworth & Rittenhouse Rd.	SCALE:	REVISIONS:	Indus
Queen Creek , AZ	1 1/2" = 1'-0"		copies
TYPICAL BLADE SIGN	SHEET NO:	•	of ar
DESIGNER: SALES:	BS-1		API
Dan Horton Paul Bleier	וייטש ון		
	'		

© 2006, BLEIER INDUSTRIES, CDM

© 2006, BLEIER INDUSTRIES, LTD.
This drawing and the Ideas expressed herein, remain the confidential property of Bieler industries, Ltd. This drawing and the indees copied or disclosed to any other person or entity without the express written permission of an officer of Bieler industries, Ltd.

APPROVED BY: